

# Bearing Options

## Type 1: Bronze Sleeve



Description: Pressed Bushing  
 Material: Bronze Oilite  
 Sizes Available: 1/2", 3/4", 1", 1-1/2", 2"  
 Temp. Range: -30°F - 200°F

- Options:
- O-Ring Seal

## Type 2: Stainless Steel Sleeve



Description: Pressed Bushing  
 Material: 304 Stainless Steel  
 Sizes Available: 1/2", 3/4", 1", 1-1/2", 2"  
 Temp. Range: -30°F - 200°F

- Options:
- O-Ring Seal

## Type 3: Two Hole Pressed Steel Sealed Bearing



Description: 3 Piece, Ball, Perm. Sealed  
 Material: Galv. Steel  
 Sizes Available: 1/2", 3/4", 1", 1-1/2", 2"  
 Temp. Range: -30°F - 200°F

- Options:
- O-Ring Seal
  - Bearing Cover
  - Packing Gland, Steel
  - Packing Gland, SS
  - Stainless Steel Insert

## Type 4: Two Hole Cast Iron Bearing



Description: 1 Piece, Ball, Grease Fitting  
 Material: Cast Iron Housing  
 Sizes Available: 1/2", 3/4", 1", 1.5", 1.75", 2.0"  
 Temp. Range: -30°F - 200°F

- Options:
- O-Ring Seal
  - Bearing Cover
  - Packing Gland, Steel
  - Packing Gland, 304 SS
  - High Temp (-30°F to 400°F)
  - Graphite Ultra High Temp (-132°F to 750°F) Sealed
  - Extreme High Temp (-132°F to 1000°F max) Sealed

## Type 5: Two Hole 304 Stainless Steel Bearing



Description: 1 Piece, Ball, Grease Fitting  
 Material: 304 Stainless Steel  
 Sizes Available: 1/2", 3/4", 1", 1.5", 2"  
 Temp. Range: -30°F - 200°F

- Options:
- Hi Temp. 400° F
  - Hi Temp. graphite 750° F
  - Hi Temp. graphite 1000° F
  - Bearing Cover
  - Packing Gland, Steel
  - Packing Gland, 304 SS

## Type 6: Two Hole Thermo Plastic Bearing



Description: 1 Piece, Ball, Grease Fitting  
 Material: Thermo Plastic  
 Sizes Available: 1/2", 3/4", 1", 1.5", 2"  
 Temp. Range: -30°F - 200°F

- Options:
- Bearing Cover
  - Packing Gland, Steel
  - Packing Gland, 304 SS

## Packing Gland



Description: For Types 3, 4, 5, & 6  
 Material:  Black Steel  
 Material:  304 Stainless Steel  
 Sizes Available: 1/2", 3/4", 1", 1.5", 2.0"  
 Temp. Range: -30°F - 1000°F, (SS only over 450°F)